


# Wireless Communications at anywhere, anytime



## **Wireless Communication Partner**

### **Long Range, Data & Voice Convergence**



Founded in 1979, SENAO International Co., Ltd., has been publicly traded in the Taiwan stock market since 2001. Today, the SENAO group has 2 R&D labs, one in Taipei, another in Seattle, USA and 11 overseas sales offices in China, Singapore, Indonesia, India, Russia, UAE , Brazil, Mexico, USA, and Canada respectively. SENAO specializes in the supply, manufacturing, marketing and support for an array of wireless communications products that provide cost effective voice and data solutions.

#### **Main Product Includes:**

- Wireless PBX (WPBX)
- Long Range Cordless Telephone (LRCT)
- Wireless VoIP Telephony

# Index

## English

**SENAO- ..... 1**

Wireless Communication Partner

**Wireless PBX- .....3**

-SN-1302 **NEW**  
 -SR-436S  
 -SP-932S/EP-490

**Long Range Cordless Phone- .....7**

-SN-1258 **NEW**  
 -SN-458 RU  
 -SN-358 RU PLUS  
 -Booster  
 -SN-258 PLUS NEW-1  
 -SN-568B  
 -SN-868R

**Wireless VoIP Telephony- ..... 13**

-SI-7800H  
 -SI-7800B

## Español

**SENAO- .....17**

**Conmutador Inalámbrico WPBX- .....19**

**Teléfonos Inalámbricos de largo alcance- ..... 23**

**Telefonía Inalámbrica VoIP- .....29**

## Portuguese

**SENAO- ..... 32**

**PABX Sem Fio- ..... 34**


**Telefone Sem Fio de Longo Alcance- .....38**

**Telefone Sem Fio VoIP- ..... 44**

## Wireless PBX

With sophisticated digital signal processing and high quality design, Senao wireless PBX (WPBX) system provides users unparalleled mobility and flexibility in a wide variety of business settings, ranging from factories, hotels/resorts, convention facilities, warehouse, farms/ranches, multi-floor business complexes, construction sites, school/campus environment, car dealerships, and other demanding business environments.


Senao WPBX has been successfully introduced to many blue chip companies including Sears, FedEx, and Williamson Auto Center. Equip with Senao WPBX phone system, mobile workers enjoy the effective communication with mobile handsets which enable to stay in touch with their internal colleagues and external business partners.




# System Configuration

WPBX configurations can be either the “stand-alone” system to replace the traditional PBX system or “adjunct” system as the wireless extensions behind the tradition PBX system.

## Stand-Alone System



## Adjunct System



## Product

Single-Line



SN-1302

4-Line



SR-436S



SP-932S/EP-490

## Industrial Long Range Cordless Phone, 900MHz SN-1302

**Long Range: 160,000 sq.Meter(250,000 sq. Feet)**

- Simplex broadcasting
- 2-way radio, independent of base
- Expendable up to 4 lines (1 line per base), 36 handsets (9 handsets per base)
- Call manager program
- Handset ring vibrator
- Caller ID, call waiting, call transfer
- 30 name/number speed dial directory
- Rugged handset to enhance durability



Single-Line



FC

## Wireless Long Range Phone System, 2.4GHz SR-436S

**Long Range: 4,0000 sq.Meter(62,500 sq. Feet)**

- 2-way radio, independent of base
- Multi-handsets, expendable up to 90 handsets
- Value-added PBX functions:
  - Auto-attendant
  - Text messaging between handsets
  - Built-in voice mail
  - Three-way conference call
- Auto line-detection and line selection
- Excellent floor penetration, up to 6 floors
- Handset ring vibrator
- DTMF/FSK caller ID



4-Line

FC

## Wireless Long Range Phone System, 900MHz SP-932S/EP-490

**Long Range:160,000 sq.Meter(250,000 sq. Feet)**

- 2-way radio, independent of base
- Multi-handsets, expendable up to 90 handsets
- Value-added PBX functions:
  - Auto-attendant
  - Text messaging between handsets
  - Built-in voice mail (SP-932S only)
  - Three-way conference call
- Auto line-detection and line selection
- Excellent floor penetration, up to 12 floors
- Handset ring vibrator
- DTMF/FSK caller ID
- SP-932S: silver / EP-490: black



4-Line


FC CE

\* Actual range performance is subject to the application environments.

Optional Accessories

Model	SR-436S	SP-932S/EP-490	SN-1302
Handset Kits	★	★	★
Rugged Case	★	★	
Leather Pouch	★	★	
Belt Clip	★	★	★
Battery	★	★	★
Headset	★	★	★
Audio-in Cable	★	★	★
Outdoor Antenna	★	★	★
Lightning Protector	★	★	★
Antenna Splitter W/ 3M cable	★	★	★

Application Scenario



Perfect Solution for

Manufacturing	Warehouse	Hotel/Education /Resort	Farm/Ranch
<b>Instant communication:</b> increase productivity	<b>Prompt reply:</b> improve service quality	<b>Keep in touch:</b> Enhance campus safety	<b>Immediate respond:</b> Advance problem solving


## Long Range Cordless Phone

As the professional service provider for last-mile communications, Senao specializes in designing and manufacturing the industrial cordless phone system with excellent communication range and lots of value added features. Senao's long range cordless phone series products with communication range from 15 to 150 km are the ideal solutions for users in an applications where need extra long ranges such as construction sites, oil fields, farms, or rural area with less telecommunication Infrastructure.





System Application



Product




## Extra Small and Smart Cordless Phone **SN-1258**

### Long Range: upto 15km in town

- Extra small handset (only 123x47x25mm) and base (150x116x45mm)
- Polyphonic Ring tones
- Walkie-talkie between handsets
- Multiple channel access
- Multiple handsets, upto 15
- Built-in scrambler for secure communication
- Keypad lock
- Group call
- 2-way paging and hands-free intercom
- Ring and voice volume adjustable



Polyphonic  
Ringtones



## Compact & Lightweight Cordless Phone **SN-458 RU**

### Long Range: upto 15km in town

- Compact and lightweight handset: only 103g, thin and small
- Personalize handset screen display
- 6-color LCD screens for 6 caller groups
- Built-in booster in base for perfect range performance
- Handset ring vibrator
- User friendly interface with up/down scrolling key for menu selection
- Multi-language display
- Multiple handsets, upto 99
- Walkie-talkie between handsets
- 50 phone book memory
- Speakerphone and dial keypad on the base




## Cordless Phone for Mobile Conference SN-358RU PLUS

### Long Range: upto 15km intown

- Support H358B RU PLUS SLIC booster for point to point application
- Handset screen and keypad with backlight
- Speakerphone for handset and base
- Smart switch: menu access with one thumb
- Pocket size handset: only 176g
- Walkie-talkie between handsets
- Multi-language display
- Multiple channel access
- Multiple handsets, upto 99
- Built-in scrambler for secure communication
- 30 caller ID memory with time/date (FSK & DTMF)
- 50 phone book memory
- Two-way paging and hands free intercom



Handset with Backlight



## Booster

### Base Booster/ Handset Booster

#### Extend the operating range

- Embedded SLIC to link fax machine, modem, and corded phone (only for SN-H358BRU PLUS)
- Extend communications coverage
- Die-casting cover provides efficient heat radiation



Booster for Base	
Booster	Compatible with
SN-B358B NEW	SN-358, SN-1258, SN-258PLUS NEW/ SPORT
SN-B358B RU	SN-358 RU, SN-358RU PLUS
Booster for Handset Unit	
Booster	Compatible with
SN-H358B RU	SN-358 RU
SN-H358B RU PLUS (W/SLIC) (for Point-to-Point)	SN-358 RU PLUS

**Long Range Cordless Phone****SN-258 PLUS NEW-1****Long Range: upto 15km in town**

- Walkie-talkie between handsets
- Multiple channel access
- Multiple handsets, up to 15
- Built-in scrambler for secure communication
- Keypad lock
- Group call
- 2-way paging and hands-free intercom
- Ring and voice volume adjustable

**Point-to-point Long Range Cordless Phone****SN-568B****Long Range: 80-150km in town**

- Mobile unit with built-in PSTN interface for fax machine and repeater connection
- Ring and voice volume adjustable
- Handset ring vibrator
- Base with speakerphone and handhold phone
- 2-way paging and hands-free intercom

**Longest Talk Time Cordless Phone****SN-868R****Long Range: 40-60km in town**

- Multiple handsets, up to 9
- Multiple base system
- 2-way paging and hands-free intercom
- Handset ring vibrator
- 3-way conference



## Optional Accessories

Optional Accessories	SN-458	SN-358 RU PLUS	SN-1258	SN-568B	SN-868R
Handset Kits (w/ Charger)	★	★			
Handset Kits (w/ TravelCharger)			★		
Charger Kit (w/ ACAdapter)	★	★	★		
Charger (Charging Cradle)	★	★	★		★
Travel Charger	★	★	★		
Vehicle Charger (CigaretteAdaptor)	★	★	★	★	★
Battery	★	★	★		★
Leather Pouch	★	★	★	★	★
Ear-microphone (Headset)	★	★	★		★
Ear Phone Jack		★			
Base AC Adaptor	★	★	★		
Charger AC Adaptor	★	★	★		
Base Booster		★	★		
Handset Booster		★			
Base Antenna	★	★	★	★	★
Handset Telescopic Antenna	★	★	★	★	★
Handset Rubber Antenna				★	★
Outdoor Antenna	★	★	★	★	★
Car Antenna				★	★

## Specification Summary

Functions	SN-458	SN-358 RU PLUS	SN-1258	SN-568B	SN-868R
Communication Range (in Town)	8-15km	8-15km	8-15km	60-150km	40-60km
Frequency	307/343MHz	307/343MHz	262/388MHz	254/380MHz	307/343MHz
Multi-Channel Access	★	★	★	★	★
Auto Channel Scanning	★	★	★	★	★
Change Channel during Conversation	★	★	★	★	★
Multi-Handset	Up to 99	Up to 99	Up to 15	Up to 9	Up to 9
Multi-Base	★	★	★		★
Walkie-Talkie between H/S	★	★	★		
Group Call	★	★	★		
Speakerphone	B/U	B/U & H/S		B/U & H/S	B/U
Base with Keypad	★	★		Coded Phone	Coded Phone
Battery Type	Li-ION	Hi-MH (Standard) Li-ION (Optional)	Ni-MH		Ni-MH
Booster	Built-in on B/U	Optional for B/U & H/S	Optional for B/U		
2-Way Paging and Hands-Free Intercom	★	★	★		
Ring Vibrator	★	Optional	Optional		★
Ringtone Selection	B/U: 10 H/S: 12	B/U: 10 H/S: 15	9 (Polyphonic)	9	9
Ringer Volume Control	★	★	★	★	★
Voice Volume Control	★	★	★	★	★
Keypad Lock	★	★	★	★	★
Handset with Backlight	★	★		★	★
LCD Color Selection	★		★		
LCD Color with Caller ID	★				
Caller ID	30 (FSK & DTMF)	30 (FSK & DTMF)			
Call Waiting	with Caller ID	with Caller ID		★	★
Call Transfer	★	★	★	★	★
Redial	B/U: Last 1 H/S: Last 10	B/U: Last 1 H/S: Last 10	Last 1	Last 1	Last 1
Memory Dial	20	20	10	10	10
Phonebook	50	50			
Out of Range Alert	★	★	★	★	★
Flash Time Programmable	★	★	★	★	★
Voice Scramble	★	★	★	★	★
Compander	★	★	★	★	★
Power Level Adjustable	H/S	H/S		B/U & P/U	B/U & H/S
Dimensions (LxWxH mm)	B/U: 244x167x66 H/S: 125x44x20	B/U: 172x158x93 H/S: 130x48x30	B/U: 150x116x45 H/S: 123x47x25	B/U: 258x140x165 P/U: 208x140x88	B/U: 225x140x130 H/S: 165x43x52
Weight	B/U: 832g H/S: 103g	B/U: 470g H/S: 176g	B/U: 380g H/S: 140g	B/U: 4000g P/U: 3000g	B/U: 3800g H/S: 400g

B/U: Base Unit

H/S: Handset

P/U: Portable Unit

## Wireless VoIP Telephony


Senao Wireless VoIP solutions provide supreme flexibility for fast-changing organizations-enabling them to easily redeploy or expand the workforce without the substantial delays and expense of installing cable.

Leverage Senao's core competence RF design and expertise in cordless device, Senao aim to deliver the best-in-class wireless IP phone series products to improve internal operation and enhance cost effective communication. Besides, migrate to IP telephony can help company to save lots of money regarding long distance and international calls.




## System Configuration


### Enterprise



### Hot Spot / SOHO (Public IP)



### Hot Spot / SOHO (Private IP)



## Product



SI-7800H



SI-7800B

## Wireless VoIP Phone (WiFi Phone)

### SI-7800H

#### Network Features

- QoS -Proprietary EDCF
- Hand Over -Among APs in the same subnet
- Security - WEP (64/128bits), WPA-PSK
- SIP Network Protocol Support
- G.711, G729ab, G726 codecs with echo cancellation
- IEEE802.11b, Dynamic Rate Scaling at 1, 2, 5.5, 11
- Frequency Range: 2.4-2.497GHz

#### Phone Features

- 100+ hours standby time and 4 hours talk time
- Hands-free by earphone or speakerphone
- 50 phonebook records
- Volume control for speakerphone and ringer
- Multi-languages support
- Keypad lock
- RF output power management


#### Call Features

- Call Setup
- Call Transfer
- Call Mute
- Call Hold
- Call Forward
- Multiple Calls Handling



## System Application

### Hot Spot





## Wireless VoIP Access Point

### SI-7800B

#### General

- Data Rates 1/2/5.5/11 Mbps
- Standards IEEE 802.11b (2.4GHz)
- CSMA/CA
- Modulation DQPSK/DBPSK/CCK
- Transmit Power Control (20mW~100mW)

#### Management

- SNMP (MIB II)
- HTTP Server
- Serial Console
- Telnet

#### Networking Functions

- DHCP Server
- DHCP Client
- TFTP Client

#### Security

- Access Control List
- WEP (64/128bits), WPA
- 802.1x
- Authorization Levels

#### Quality of Service

- Proprietary EDCF

#### Roaming

- InterAccess Point Protocol (IAPP)
- Proprietary Layer 3 Handover



### SOHO

