















CRT BOARD



HANDSET BOARD



LOCAL COMMANDS FOR IC701

- 1 MUTE
- 2 PIC
- 3 PIC UP
- 4 PIC DN
- 5
- 6
- 7 VL UP
- 8 VL DN
- 9 PROG UP
- 10 PROG DN
- 11 POWER
- 12 TIMER
- 13
- 14 TV/AV
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25
- 26
- 27
- 28
- 29
- 30
- 31
- 32
- 33

- NOTE:
- (1) ALL CAPACITORS ARE IN μ F UNLESS OTHERWISE NOTED
 - (2) ALL CAPACITORS ARE 50V UNLESS OTHERWISE NOTED
 - (3) CAPACITORS NOT SPECIFICALLY DESIGNATED ARE CERAMIC CAPACITORS
- ELECTROLYTIC CAPACITOR
 - BI-POLAR ELECTROLYTIC CAPACITOR
 - TANTALUM CAPACITOR
 - MILAR CAPACITOR
 - METALLIZED POLYESTER
 - POLYESTER FILM CAPACITOR
 - POLYPROPYLENE CAPACITOR
- (4) ALL RESISTORS ARE IN OHMS UNLESS OTHERWISE NOTED
 - (5) RESISTORS NOT SPECIFICALLY DESIGNATED ARE CARBON FILM RESISTORS
- CARBON RESISTOR
 - METAL CLAD RESISTOR
 - CEMENT RESISTOR
 - FOIL FILM RESISTOR
 - THERMISTOR
- (6) DC VOLTAGE ARE MEASURED FROM GND UNLESS INDICATED TO THE CONTRARY AND WITH A DIGITAL MULTIMETER
 - (7) WAVEFORMS ARE TAKEN WITH SETTING ON A NORMAL CONDITIONS UNLESS OTHERWISE NOTED
 - (8) THE PROGRAM IS STORED IN ROM WITH A 100V BATTERY
 - (9) IN THE SCHEMATIC, SMALL OR BIG LETTERS WITHIN THE MANUFACTURER'S PART NUMBER

ART-TEC- DEC ENGINEERING LTD	
TITLE	SCHEMATIC DIAGRAM
MODEL G1-9152	SYSTEM PAL SECAM B/G F.T.C
DRAW NO 9870-01	COUNTRY
DATE 25-4-1990	REV NO

2821