








G-T-8921


- NOTE:
- (1) ALL CAPACITORS ARE IN μ F UNLESS OTHERWISE NOTED
- (2) CAPACITORS NOT SPECIFICALLY DESIGNATED ARE CERAMIC CAPACITORS
- (3) ALL RESISTORS ARE IN OHM $\frac{1}{16}$ W UNLESS OTHERWISE NOTED
- (4) RESISTORS NOT SPECIFICALLY DESIGNATED ARE CARBON FILM RESISTORS
- (5) CARBON COMPOSITION RESISTOR
- (6) METAL OXIDE RESISTOR
- (7) FUSIBLE RESISTOR
- (8) THERMISTOR
- (9) DC VOLTAGE AND MEASURED FROM POINTS INDICATED TO THE CIRCUIT
- (10) GROUND WITH A DIGITAL MULTIMETER TEST
- (11) WAVEFORMS ARE TAKEN WITH SETTING CONTROLS TO A NORMAL
- (12) CONTINUOUS (COLOR BAR PATTERN)
- (13) THIS CIRCUIT DIAGRAM IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE
- (14) ON THE SCHEMATIC SHOULD BE REPLACED WITH EXACT
- MANUFACTURER'S RECOMMENDED PARTS.




IC602 ST24C01B1




IC102 TDA4505



IC601 PCA84C440P





IC305 TDA4555




IC302 TEA5114A


IC304 TDA3504




IC201 TDA1013B




IC103 L7812CV




IC901 L7805CV




IC701 SAA3010T



IC303 TEA1014



IC401 TDA3653B



GT-8924