POWER SUPPLY (SMPS)

IC101
T6387/
ANIEL

- VCC 42
- SCL 41
- SDA 40
- AVIN 39
- IDENT 38
- ON/OFF 37
- AV/O 36
- IR/I 35
- VS 34
- RESET 33
- OSC/0 32
- OSC/1 31
- TEST 30
- OSD/OSC/0 29
- OSD/OSC/1 28
- V SYN 27
- H SYN 26
- BLK 25
- B 24
- G 23
- R 22

IC102
M3004LAB1

3V BATTERY

REMOTE HANDSET

IC201
TDA8222

IC502
LM7809

TO ST03G

+12V

+5V

+9V

TP13

TP13

TP26

VP201

CF203

D206

CF203

L303
4.7µH
(6.8µH)

R306
3k3

RETEXT PROCESS SECTION

DW_SE7/2004

Soung, Santeo, Yoko
21PS/PST (strona 1/1)

BEKO
12.6
HA АРТОН
СТОПОНЕ

?

SCHEMATIC NOTES:

1. RESISTANCE IS SHOWN IN OHMS K=1.000 & M=1.000.000
2. CAPACITANCE IS SHOWN IN $\mu = \mu F$ n=nF p=pF
3. STANDARD FILM RESISTOR (SFR25)
 TANTALUM CAPACITOR
 FILM CAPACITOR
4. VOLTAGE READ WITH DIGITAL VOLTMETER FROM POINT INDICATED TO CHASSIS GROUND USING A NORMAL PICTURE.
5. VOLTAGE READINGS SHOWN ARE NORMAL VALUES AND MAY VARY $\pm 20\%$ (EXCEPT H.V.).
6. VOLTAGES AND WAVEFORMS OF TRANSISTOR AND IC PLEASE REFER TO SERVICE MANUAL
7. SCHEMATIC SUBJECT TO CHANGE WITHOUT NOTICE.

**OTVC Axxion, Lexus, Maxim, Panasonic, Recor, Sam
RC4220PS/PST, RC4221PS/PST, RC4320PSNT, RC44**