



AKAI

20" Colour Television With Scart Receiver
CT-2007DT




BLOCK DIAGRAM




SCHEMATIC DIAGRAM FOR PAL SECAM B/G D/K SYSTEM

RECEIVE BOARD



MAIN BOARD







DRAWING NO: 8120-03 (BF) (AKAI)


REV. No. : A(13-07-94)







WAVEFORM



CIRCUIT SYMBOLS

RESISTOR	CAPACITOR
NONFLAMMABLE	ELECTROLYC
FUSEBLE	B-POLAR ELECTROLYC
CEMENT	TANTALUM
METAL OXIDE	METALLIZED POLYESTER
THERMISTOR	POLYESTER FILM
	POLYPROPYLENE
	MYLAR

- NOTE:
- ALL CAPACITORS ARE IN uF UNLESS OTHERWISE NOTED.
 - ALL CAPACITORS ARE 50V UNLESS OTHERWISE NOTED.
 - CAPACITOR NOT SPECIFICALLY DESIGNATED ARE CERAMIC CAPACITORS.
 - ALL RESISTORS ARE IN OHM 1/16 WATT UNLESS OTHERWISE NOTED.
 - RESISTOR NOT SPECIFICALLY DESIGNATED ARE CARBON FILM RESISTORS.
 - DC VOLTAGE ARE MEASURED FROM POINTS INDICATED TO THE CIRCUIT GROUND WITH A DIGITAL MULTIMETER TEST.
 - WAVEFORMS ARE TAKEN WITH SETTING CONTROLS TO A NORMAL CONDITIONS (COLOR PHILIPS PATTEN).
 - THIS CIRCUIT DIAGRAM IS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.
 - SAFETY CRITICAL DEVICE.

KONG WAH VIDEO ENGINEERING LTD.

TITLE: SCHEMATIC DIAGRAM

MODEL: CT-2007DT (YI) SYSTEM: PAL SECAM B/G D/K

DRAW NO.: 9320(BT)-01 PAGE 1 OF 1

DRAWN BY: APPROVED: (PROJECT LEADER)

DATE: JUN 29, 93 REV NO: