




SOLID STATE 14" COLOUR TELEVISION RECEIVER

Specification

System	:	PAL-1
Destination	:	U.K.
Channel Coverage	:	
UHF	:	21 - 69 CH
Frequency Range	:	
UHF	:	474 - 858 MHz
Scanning Lines	:	625 Lines
Horizontal	:	15625 Hz
Vertical	:	50 Hz
IF Frequency	:	
Video	:	39.5 MHz
Sound	:	33.5 MHz
Chroma	:	35.07 MHz
Vision/Sound Separation	:	6.0 MHz
Sensitivity	:	
UHF	:	80 μ V
Output Power Maximum	:	900 mW
10% THD	:	700 mW
CRT	:	14" Diagonal, 29.1mm Neck Diameter, 90° Deflection Angle
Speaker	:	3" 16 ohm 1w
Antenna Impedance	:	75 ohm




1. Speaker
2. Infra Red Sensor
3. Contrast Control
4. Brightness Control
5. AFC On/Off Switch
6. Colour Control
7. Channel Selection Buttons
8. Channel Indicator
9. UHF Tuner
10. Volume Control
11. Channel Preset Door
12. Power On/Off Switch
13. Antenna Terminal
14. AC Line Cord



○ 5% NON-FLAMEABLE CARBON RESISTOR
● 5% FLAME PROOF FUSING RESISTOR
△ 5% METAL OXIDE FILM RESISTOR

WAVEFORM DIAGRAM FOR PAL(1) SYSTEM



GRAM FOR PAL(1) SYSTEM

