


WAVEFORMS


The following waveforms were taken on a colour bar signal, using a 10:1 probe. All waveforms were displayed at 20 μ Secs per division unless otherwise state.

IC001 pin 26
(‘R’ models)
pin 36
(‘T’ models)
7v0 p.p.




IC001 pin 27
(‘R’ model)
pin 37
(‘T’ model)
5v0 p.p.
at 5m Secs/cm

IC201 pin 19
3v6 p.p.




IC201 pin 20
3v6 p.p.

IC201
pins 7, 13, 15
2v1 p.p.




IC201 pin 18
3v6 p.p.

IC201 pin 28
1v5 p.p.




IC201 pin 20
1v0 p.p.

IC201 pin 30
0v5 p.p.




IC201 pin 31
0v7 p.p.

IC201 pin 37
0v5 p.p.




IC201 pin 3
5v p.p.




IC201 pin 41
0v8 p.p.
at 5m secs/cm

IC201 pin 42
1v3 p.p.
at 10m secs/cm




IC201 pin 43
1v5 p.p.
at 10m secs/cm

IC201 pin 50
1v9 p.p.
at 5m secs/cm




IC601 pin 2
50v p.p.
5m secs/cm




IC601 pin 4
2v1 p.p.
at 5m secs/cm

IC601 pin 3
30v p.p.
at 5m secs/cm




IC401 pin 3
0v2 p.p.
at 1m sec/cm

IC401 pin 6
9v0 p.p.
at 1m sec/cm




Q501 Base
2v2 p.p.

Q501 Emitter
2v0 p.p.




Q701 Base
0v6 p.p.


Q701 Emitter
60v p.p.



CP2117T MAIN CIRCUIT DIAGRAM



C2117T MAIN CIRCUIT DIAGRAM



MAIN PCB