



JVC

SERVICE MANUAL

CD RECEIVER

KD-GS610 C/J



COMPACT
disc
DIGITAL AUDIO

This Service manual have not Instructions and Location of Main Parts, Block Diagram . These item should be used in conjunction with service manual for KD-GS620C/J (Issue No. 49411).

Area Suffix

C	Canada
J	U.S.A.

Contents

1. Safety Precautions.....	2	6. Wiring Connections	17
2. Removal of Main Parts	3	7. Standard Schematic Diagram.....	18
3. Main Adjustment.....	9	8. Location of P.C. Board Parts.....	20
4. Main IC's General Description	12	9. Electrical Parts List.....	22
5. Analytic Drawing and Parts List.....	14	10. Packing	25

1. Safety Precautions

CAUTION

Burrs formed during molding may be left over on some parts of the chassis. Therefore, pay attention to such burrs in the case of performing repair of this system.

2. Removal of Main Parts

■ Detaching the front panel unit

(See Fig. 2-1)

Slide the Release switch in the direction of arrow to detach the front panel unit.




Fig. 2-1

■ Removing the front chassis

(See Fig. 2-2)

1. Remove two ribs in the right side of unit and pull the front chassis forward to remove it.
2. Remove two ribs in the left side of unit and pull the front chassis foward to remove it.




Fig. 2-2

■ Removing the heat sink (See Fig. 2-3)

1. Turn the left side unit.
2. Remove three screws ① retaining the heat sink.




Fig. 2-3

■ Removing the bottom cover

(See Fig. 2-4)

Turn the unit upside down then insert and turn the screw driver to remove the bottom cover.




Fig. 2-4

■ Removing the main board

(See Fig. 2-5, 2-6)

1. Remove two screws ② retaining the main board.
2. Turn the back side unit.
3. Remove three screws ③ retaining the rear bracket.
4. Lift up the main board to remove it, at this time remove the connectors CN501 and CN502 connecting the main board and CD mechanism assembly.




Fig. 2-5

■ Removing the CD mechanism assembly

(See Fig. 2-7)

- Remove three screws ④ retaining the CD mechanism assembly from the top cover.




Fig. 2-6

■ Removing the operation switch board

(See Fig. 2-8, 2-9)

1. Turn the front panel unit upside down then.
2. Remove four screws ⑤ retaining the rear cover.
3. Take the operation switch board off on the front panel.




Fig. 2-7




Fig. 2-8




Fig. 2-9




Fig. 2-10

《CD Mechanism Section》

■ Removing the CD mechanism control P. C. board

1. Remove the bottom cover (See "Removing the bottom cover").
2. Remove the front panel assembly (See "Removing the front panel assembly").
3. Remove the main amplifier P. C. board assembly (See "Removing the main amplifier P. C. board assembly").
4. Remove the CD mechanism assembly (See "Removing the CD mechanism assembly").
5. Remove the three springs ④ and ⑤ from behind the CD mechanism assembly (See Fig. 2-10).
6. Disconnect the flexible wire connected to the connector on the CD mechanism control P. C. board (See Fig. 2-11).




Fig. 2-11




Fig. 2-12

- CAUTION:** Whenever the flexible wire is disconnected, be sure to remove the soldering in advance as shown in Fig. 2-11. Otherwise, the CD mechanism assembly can possibly be damaged.
7. Remove the two screws ① retaining the front bracket for fixing the CD mechanism control P. C. board (See Fig. 2-12).

CAUTION: Remove the front bracket from the frame while expanding both sides of the frame as shown in Fig. 2-13.




Fig. 2-13

8. Remove the one screw ② retaining the CD mechanism control P. C. board (See Fig. 2-14).
9. After disengaging the engagement between the notch section ④ and frame, remove the CD mechanism control P. C. board successively from arrow ① through to arrow ③ in the arrow direction as shown in Fig. 2-14.




Fig. 2-14

■ Removing the loading motor

1. Remove the belt from the loading motor (See Figs. 2-14 and 2-15).
2. Remove the one screw ③ retaining the loading motor (See Fig. 2-15).




Fig. 2-15

■ Removing the CD mechanism assembly

1. Remove the two screws ④ retaining the bracket for fixing the damper (See Fig. 2-16).
2. While shifting the fix plates on the right and left sides respectively to the arrow direction, lower the entire CD mechanism. When the shafts (④, ⑧, ⑥ and ⑨) on both the right and left sides have been set free as shown in Figs. 2-17 and 2-18, then the assembly can be removed easily. Remove the two screws ⑤ retaining the rear damper bracket to make it easier to remove the damper from the rear damper bracket (See Figs. 2-10, 2-17 and 2-18).
3. Remove the two springs ⑩ and ⑪ as shown in Fig. 2-10, 16.
4. While removing the right and left sides of the rear damper brackets and dampers while expanding both sides of the CD mechanism, disassemble the entire CD mechanism.




Fig. 2-16




Fig. 2-17




Fig. 2-18

5. While turning the pickup gear in the arrow direction as shown in Fig. 2-20, shift the entire pickup unit.

6. Remove the three screws ⑥ retaining the feed motor assembly and take out this motor assembly (See Fig. 2-19).

7. While pressing and expanding the spring section ① holding the FD screw in the arrow direction, remove the FD screw and dismount the pickup unit (See Fig. 2-21).

8. By removing the two screws ⑦ retaining the pickup unit, dismount the nut push spring plate and pickup mount nut (See Fig. 2-22).

9. Remove the FD screw from the pickup unit (See Fig. 2-22).




Fig. 2-19




Fig. 2-20




Fig. 2-21




Fig. 2-22




Fig. 2-23




Fig. 2-24-a

Fig. 2-24-b

Fig. 2-24

■ Removing the spindle motor

1. After turning back the CD mechanism to initial position, remove the two springs ④ and ⑤ on both the right and left sides of the clamer arm (See Figs. 2-23 and 2-24).
2. While turning the turntable, remove the two screws ⑧ retaining the spindle motor and take out the spindle motor (See Fig. 2-25).




Fig. 2-25

3. Main Adjustment

■ Test Instruments required for adjustment

1. Digital oscilloscope(100 MHz)
2. AM Standard signal generator
3. FM Standard signal generator
4. Stereo modulator
5. Electric voltmeter
6. Digital tester
7. Tracking offset meter
8. Test Disc.....JVC : CTS - 1000
9. Extension cable for checkEXT - GS001 - 16P
EXT - GS001 - 15P
EXT - GS001 - 10P

■ Standard measuring conditions

- Power supply voltageDC14.4V(10.5~16V)
 Load impedance4 Ω (2 Speakers connection)
 Line out20k Ω

● Standard volume position

Balance and Bass & Treble volume :Indication "0".

Loudness : Off

Setting of reference frequency of SSG

AM mode : 600kHz/62dB, INT/400Hz, 30% modulation
 signal on

FM mode : 97.9MHz/66dB/INT/400Hz/22.5kHz deviation
 pilot 7.5kHz dev.

Output level0dB(1 μ V, 50 Ω /open terminal)

Dummy load

Exclusive dummy load should be used for AM, and FM. For FM dummy load, there is a loss of 6dB between SSG output and antenna input. The loss of 6dB need not be considered since direct reading of figures are applied in this working standard.

■ How to connection the extension cables for adjusting




Fig. 3-1




■ Arrangement of Adjusting & Test Points**(Main amplifier board: Solder side)**

Fig. 3-2

■ CD Section

Item	Conditions	Adjustment and Confirmation	Standard Value	Adjusting
1. Jitter check	Measuring instruction :Jitter meter Oscilloscope Test point : TP1 :TP2 (VREF)	1. Connect to the jitter meter between TP1 and TP2 (VREF). 2. When the test disc (Track 1)is played, confirm that the meter reading is less than 26n-sec	less than 26n-sec	-
2. RF level (eye-pattern) check	Measuring instruction Oscilloscope Test point : TP1 :TP2 (VREF)	1. Connect to the oscilloscope between TP1 and TP2 (VREF). 2. When the test disc (Track 1)is played, confirm that peak-to-peak value of eye-pattern waveform is within 0.85~1.75V	Within 0.85~1.75V	
		Eye-pattern waveform		
			 <p>The maximum value of this waveform should be in the range of specifications and the waveform should be clear</p>	
3. Tracking offset adjustment	Measuring instruction :Oscilloscope Test point TP2 Oscilloscope ground side (VREF level) TP3 Oscilloscope hot side Note 1 Oscilloscope input should be DC coupled. Note 2 Adjust VR501 so that the waveform becomes vertically symmetrical to the reference voltage of servo.	Adjustment procedure 1. Connect to the oscilloscope between TP2 (VREF) and TP3 (TE). 2. Play back the disc(Track 1). 3. Turn on the short switch.(Shot circuit between TP2 (VREF) and TP4 during test disc play.) 4. Since the waveform of tracking error signal, displayed by the oscilloscope goes up and down when VR501 has been adjusted. Adjust VR501 so becomes a reference 0 ± 20m voltage value of servo (VREF).	Adjust the center of waveform amplitude to the reference 1.5 ± 0.3 voltage Note3. VREF: Ground level on the oscilloscope	VR501
		Tracking offset waveform		
			 <p>Set the P-P center of the DC level to zero.</p>	
4. Line out level check	Measuring point :Line out	2. When the test disc (Track 1)is played, confirm that line out level is 1.5 ± 0.3V.	1.5 ± 0.3V	-

4. Main IC's General Description

■ IC301: TEA6320T (E. VOLUME)




Fig. 4-1

■ IC901: TDA3603P (REGULATOR)




Fig. 4-2

■ IC601 : LC72366 (CPU) Terminal's Function Table

Pin No.	Symbol	I/O	Function
1	XIN		4.5MHz crystal oscillator connection pin.
2	TEST2		Ground
3	J BUS SI	I/O	Changer data input for information
4	J BUS SO	I/O	Changer data output for information
5	J BUS SCK	I/O	Changer clock in/output for information
6	TELMUTE		Non connection
7	E.VOL ACKIN	I/O	Electrical volume for ACKinput
8	E.VOL SO	I/O	Electrical volume for data output
9	E.VOL SCK	I/O	Electrical volume for clock output
10	LCD CE	I/O	Chip enable signal output for LCD driver
11	REST SW	I/O	Rest switch for traverse mecha
12	LCD SO	I/O	Data output for LCD driver
13	LCD SCK	I/O	Clock output for LCD driver
14	MECHA SW4	I/O	8cm disc eject position (Detect switch input), 8cm loading waite timing start
15	NC		Non connection
16	BUCK	0	Communication clock output
17	CCE	0	Communication chip enable output
18	LM0	0	Loading motor control signal output (FWD)
19	LM1	0	Loading motor control signal output (REV)
20	CDREMOTE	0	Non connection
21	NC	0	Non connection
22	TUNER REMOTE	0	Antenna remote control output
23	J BU I/OCONT	0	In output selector for communication buffer output
24	KS2	0	Initial setting output pin 2
25	KS1	0	Initial setting output pin 1
26	KS0	0	Initial setting output pin 0
27	SD/ST	I	Station detector input, ST input
28	K2	I	Initial setting input pin 2
29	K1	I	Initial setting input pin 1
30	K0	I	Initial setting input pin 0
31	Vdd		Power source pin
32	MECHA SW2	I/O	Detect switch for 12cm disc input
33	IFRO/AGC	0	IF count request output
34	NC		Non connection
35	NC		Non connection
36	NC		Non connection
37	BEEP LEVEL		Non connection
38	FM ILLUMI	0	Function illumination selector output (FM)
39	AM ILLUMI	0	Function illumination selector output (AM)
40	NC		Non connection

Pin No.	Symbol	I/O	Function
41	CD ON	0	CD power control signal output
42	BAND	0	FM/AM band selector signal output
43	POWER CONT	0	Power source IC control output
44	BEEP	0	Tach tone output
45	DETACH	I/O	Remove the front panel detecting input
46	POWER SAVE2	I/O	Power save 2 detecting input
47	MECHA SW1	I/O	Disc in detecting switch input 8cm disc detecting switch input
48	MECHA SW3	I/O	Disc existence detecting switch input Loading finishing detecting switch input
49	BUS3	I/O	CD LSI communication Bus line
50	BUS2	I/O	CD LSI communication Bus line
51	BUS1	I/O	CD LSI communication Bus line
52	BUS0	I/O	CD LSI communication Bus line
53	SYSTEM RESET	I/O	Microcomputer reset input
54	MONO	I/O	Monoral control signal output
55	OPTICAL REMOCON	I/O	Optical remote control signal input
56	J BUSINT	I/O	Cut into J bus input
57	NC		Non connection
58	NC		Non connection
59	CDLSI RESET	0	CD system reset signal output
60	MUTE	0	Voice mute control signal output
61	KEY0	I	Key AD input pin 0
62	KEY1	I	Key AD input pin 1
63	KEY2	I	Key AD input pin 2
64	A/D KEYSEL	I	Key mode selector AD
65	LEVEL IND	I	Level meter AD input pin
66	SM	I	S. meter input
67	POWER SAVE1		Power save1 detecting input
68	SNS		Power reduction sens pin
69	NC		Non connection
70	AM/FM IFCONT		AM/FM IF count signal input
71	NC		Non connection
72	NC		Non connection
73	Vdd		Power source pin
74	AMOSC		AM local oscillator signal input
75	FMOSC		FM local oscillator signal input
76	GND		Ground
77	NC		Non connection
78	ERROR OUT		PLL error signal output
79	GND		Test pin (To ground)
80	XOUT		4.5MHz crystal oscillator connection pin. (Out)

5. Analytic Drawing and Parts List




Fig. 5-1

■ CD Mechanism Parts List M1


BLOCK NO. M1MM

REF.	PARTS NO.	PARTS NAME	REMARKS	QTY	SUFFIX	CLR
1	30310101T	FRAME		1		
2	30310103T	DANPER PIN		2		
3	30310107T	UPPER PL		1		
4	30310108T	SEL STOP PL		1		
5	30310109T	SEL ARM (L)		1		
6	30310110T	SEL ARM (R)		1		
7	30310111T	S ARM SPRING		2		
8	30310112T	TRIG LVR		1		
9	30310114T	TRIG PL		1		
10	30310115T	TRIG PL SPRING		1		
11	30310116T	TRIG ARM		1		
12	30310117T	FIX ARM (L)		1		
13	30310118T	FIX ARM (R)		1		
14	30310119T	FIX PL (L)		1		
15	30310120T	FIX PL (R)		1		
16	30310121T	LDG GR (6)		1		
17	30310122T	LDG GR (6)SP		1		
18	30310124T	S.L ARM		1		
19	30310125T	S.L ARM SPRING		1		
20	30310126T	REAR DAM BKT(J)		1		
21	30310127T	FPC GUIDE		1		
22	30310128T	HUNG UP SP (F)		2		
23	30310129T	HUNG UP SP (R)		2		
24	30310130T	LEVEL SP		1		
29	30300510T	PU GEAR(B)		1		
30	30310501T	TTB		1		
31	-----	TURN TABLE		1		
32	30310503T	FMB		1		
33	30310504T	FD GR BKT		1		
34	-----	FD GR (A)		1		
35	-----	FD GR (C)		1		
36	30310508T	PU SHAFT		1		
37	-----	FD SCREW		1		
38	30310510T	THRUST SPR		1		
39	30310511T	PU M NUT		1		
40	30310512T	NUT PUSH SPR PL		1		
41	30310513T	CLP ARM		1		
42	30310514T	CLP ARM SPRING		1		
43	30310515T	CLAMPER		1		
46	30310521T	LOCK PIN		3		
47	30310522T	LOCK PIN BL		1		
48	30310523T	CLAMPER PLATE		1		
49	30310524T	DAMPER (J)		3		
50	30310525T	CLP ARM SPR (L)		1		
54	-----	FEED MOTOR	FF030PK-09210	2		
55	-----	SPINDLE MOTOR	RF300CA-11440D	1		
56	64180404T	DET SW	ESE11HS2	1		
57	OPTIMA-610MZ	CD.PICK UNIT		1		
61	11050210T	FELT		1		
62	19501403T	WIRE CLUMPER		2		
63	30311001T	PICK UP FPC		1		
64	30311002T	CONNECTER PCB(J)		1		
65	30311003T	WIRE (5P)		2		
66	30311005T	WIRE (LD)		1		

BLOCK NO. M1MM

REF.	PARTS NO.	PARTS NAME	REMARKS	QTY	SUFFIX	CLR
67	30311006T	WIRE (FD)		1		
68	30311007T	WIRE (RS)		1		
70	64180402T	DET SW	ESE22MH1	2		
71	64180403T	DET SW	ESE22MH3	2		
72	68150230T	CONNECTOR	TKC-F14P-K3	2		
73	68170222T	CONNECTOR	6208010117	1		
78	-----	LDG PULLEY		1		
79	30311105T	SOPPORT PL		1		
80	30311108T	GR MT BLK		1		
81	30311109T	LDG GR (2)		1		
82	30311110T	LDG GR (3)		1		
83	-----	LDG GR (4)		1		
84	30311112T	LDG GR (5)		1		
85	-----	LDG GR ARM		1		
86	30311114T	LDG ROLLER		2		
87	-----	LDG RLR SFT		1		
88	30311118T	L.P SP (L)		1		
89	30311119T	L.P SP (R)		1		
90	30311123T	SW PCB		1		
91	30311124T	SW ACTR		1		
92	30311129T	LDG BELT		1		
93	30311130T	FRONT BRKT (J)		1		
100	9C0620503T	C B TAP SCREW	M2X5	1		
101	9C2020401T	C SCREW TS.G	M2X4	5		
102	9C4320403T	C B TAP SCREW	M2X4	4		
103	9C0117223T	SCREW	M1.7X2.2	2		
104	9C0117703T	C SCREW	M1.7X7	2		
105	9C4220201T	C TAP SCREW S3	M2X2	1		
106	9C4420003T	C TAP SCREW B3	M2X10	1		
107	9C4420503T	C TAP SCREW B3	M2X5	2		
108	9P0220031T	TAMS SCREW	M2X4	2		
112	-----	P W	2X3.5X0.25	1		
113	9W0125090T	P W	3.1X5.4X0.25	2		
114	-----	WAVE WASHER		1		
115	-----	LUMILAR W	2.5X6X0.1	1		
116	9W0735080T	LUMILAR W	2.3X9.8X0.35	1		
130	303105301T	FFED MO ASSY	NO.34,54	1		
131	303105302T	SPINDLE MO ASSY	NO.31,55,112	1		
132	303105303T	FEED SCREW ASSY	NO.35,37	1		
133	303111301T	LDG MOTOR ASSY	NO.54,78	1		
134	303111302T	RDG. RLR SFT ASY	NO.83,85,87 114,115	1		

1 2 3 4 5

■ Enclosure Assembly Parts: Block No. M2

6

7

8

9

10




Fig. 5-2

■ Enclosure Assembly Parts List [M2]

BLOCK NO. M2MM □□□

▲ REF.	PARTS NO.	PARTS NAME	REMARKS	QTY	SUFFIX	CLR
	1 -----	GS929 CD MECHA		1		
	2 FSJC1029-001	TOP CHASSIS		1		
	3 FSMH3001-001	HEAT SINK		1		
	4 FSKM3007-001	BOTTOM COVER		1		
	5 FSMA3004-001	INSULATOR		1		
	6 SDST2604Z	SCREW	CHASSIS+MECHA B	3		
	7 SDST2610Z	SCREW	CHASSIS+SIDE PA	2		
	8 SDST2606Z	SCREW	CHASSIS+REAR BK	3		
	9 SDST2606Z	SCREW	CHASSIS+MAIN PW	2		
	10 SDST2610Z	SCREW	SIDE PANEL+IC B	1		
	11 FSJC2010-001	FRONT CHASSIS		1		
	12 FSKS3004-001	LOCK LEVER		1		
	13 FSKW4005-003	TORSION SPRING	FOR LOCK LEVEL	1		
	14 FSXP3026-001	RLS KNOB		1		
	15 FSKW3002-004	COMP. SPRING		1		
	16 FSPK3009-001	BLIND		1		
	17 FSJC3011-00E	FRONT PANEL		1		
	18 FSJK3007-001	LIGHT LENS		1		
	21 FSXP2022-001	PRESET BUTTON		1		
	22 FSXP3033-001	POWER BUTTON	1/2/3/4/5/6 & S	1		
	23 FSXP3034-001	EJECT BUTTON		1		
	24 FSXP3036-001	+/- BUTTON		1		
	25 FSXP3037-001	UP DOWN BUTTON		1		
	26 FSXP2023-004	D.FUNC BUTTON	CD/FM/AM	1		
	27 FSXP3038-003	SND/C. BUTTON	LOUD/SOUND	1		
	28 FSXP3039-001	PUSH BUTTON	MO.RPT/RND/SCAN	1		
	29 FSXP4001-001	DISPLAY BUTTON		1		
	30 FSXP3035-001	DETACH BUTTON		1		
	31 FSKW3002-007	COMP.SPRING	FOR DETACH BUTT	1		
	32 FSJK4007-001	REMOTE LENS		1	J	
	33 FSJC1028-001	REAR COVER		1		
	34 SPSF1780M	MINI SCREW		4		
	35 FSYN3025-006	NANE PLATE		1		
	38 VND4922-007	CAUTION LABEL		1		
	40 QMFZ021-100-J1	FUSE		1		
	41 VMA4652-001SS	EARTH PLATE		1		
	42 QLD0008-001	LCD	LCD1	1		
	43 FSYH3011-001	LCD CASE		1		
	44 VJK3680-001	LCD LENS		1		
	45 VKS3750-002	LENS CASE		1		
	46 VMZ0147-001	LCD CONNECTOR		1		
	47 VYTT689-001	BLIND(L)		1		
	48 VYTT690-001	BLIND(R)		1		
	51 FSKM3008-001	REAR BRACKET		1		
	52 FSKL4013-001	IC BRACKET		1		
	53 VKL7059-002	TR BRACKET		1		
	54 SDST2606Z	SCREW	"FOR ANT."	1		
	55 SDSP2606Z	SCREW	"16P & TR BRACK"	3		

6. Wiring Connections




Fig. 6-1

7. Standard Schematic Diagram

■ CD Servo Control & LCD O




Fig. 7-1

.CD Operations Switch Circuit: Drawing No. FSDH3020-006CW


6

7

8


9

10



■ Reciever & Power Amplifier Circuit: Drawing No. FSDH3020-006TW

1 2 3 4 5



6

7

8

9

10

A

B

C

D

E

F

G

FM Radio signal
AM Radio signal
CD Analogue signal





Fig. 7-2

REMARK	D691-D692	C709-C710	LINOUT	BUS228A/REHCON/0507
KD-GS610	NOT USED	USED	USED	USED
KD-GS620	NOT USED	USED	USED	NOT USED
KD-GS626	USED	NOT USED	USED	NOT USED
KD-GS610	NOT USED	USED	NOT USED	NOT USED

NOTES:
1. VOLTMETERS ARE DC-MEASURED WITH A DIGITAL VOLT METER WITHOUT INPUT SIGNAL.
CONDITION --- FM (□ AM MODE)

8. Location of P. C. Board Parts



6

7

8

9

10




Fig. 8-1




Fig. 8-2


6

7

8

9

10



A

B

6

4

5

5

2

Fig. 8-2

9. Electrical Parts List

Main Board

BLOCK NO. 011111

A.	REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX	A. REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX
C 101	QEKA1EM-105	E.CAPACITOR	1.0MF 20% 50V			C 515	NCB21HK-473AY	C CAPACITOR	-0.47MF 10% 25V	
C 102	NCS21HK-472AY	C CAPACITOR	4.700PF 10% 50V			C 516	NCB21HK-103AY	C CAPACITOR	-0.10MF 10% 50V	
C 151	NCS21HK-221AY	C CAPACITOR	220PF 5% 50V			C 517	QEE40LM-106B	T.S.E.CAPACITOR	-10MF 20% 6.3V	
C 152	QEKA1EM-475	E.CAPACITOR	4.7MF 20% 25V			C 518	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 153	QEKA1EM-475	E.CAPACITOR	4.7MF 20% 25V			C 519	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 154	NCS21HK-820AY	C CAPACITOR	82PF 5% 50V			C 520	NCS21HK-471AY	C CAPACITOR	4.70PF 5% 50V	
C 155	NCS21HK-820AY	C CAPACITOR	82PF 5% 50V			C 521	NCB21HK-333AY	C CAPACITOR	-0.33MF 10% 25V	
C 156	QEKF1AM-476Z	E.CAPACITOR	4.7MF 20% 6.3V			C 522	NS21HK-101AY	C CAPACITOR	100PF 5% 50V	
C 201	QEKA1EM-105	E.CAPACITOR	1.0MF 20% 50V			C 523	QFV41HJ-1042M	FILM CAPACITOR	-1.0MF 5% 50V	
C 202	NCB21HK-472AY	C CAPACITOR	4.700PF 10% 50V			C 524	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 251	NCS21HK-221AY	C CAPACITOR	220PF 5% 50V			C 525	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 252	QEKA1EM-475	E.CAPACITOR	4.7MF 20% 25V			C 526	QFLA1HK-8222M	M.CAPACITOR	8200PF 5% 50V	
C 253	QEKA1EM-75	E.CAPACITOR	4.7MF 20% 25V			C 527	QEKF1AM-104	E.CAPACITOR	-10MF 20% 50V	
C 254	NCS21HK-820AY	C CAPACITOR	82PF 5% 50V			C 528	QEKA1CM-126	E.CAPACITOR	22MF 20% 16V	
C 255	NCS21HK-820AY	C CAPACITOR	82PF 5% 50V			C 531	NCB21HK-103AY	C CAPACITOR	-0.10MF 10% 50V	
C 256	QFLA1HK-476Z	M.CAPACITOR	4.7MF 20% 6.3V			C 532	QFV41HJ-823	FILM CAPACITOR	-0.82MF 5% 50V	
C 302	QFLA1HK-8222M	M.CAPACITOR	8200PF 5% 50V			C 533	QFV81HJ-223	FILM CAPACITOR	-0.22MF 5% 50V	
C 303	QFV41HJ-224	FILM CAPACITOR	22MF 5% 50V			C 534	QEKF1AM-224Z	NP.E.CAPACITOR	-22MF 20% 50V	
C 304	QFV41HJ-224	FILM CAPACITOR	22MF 5% 50V			C 535	NCB21EK-823AY	C CAPACITOR	.082MF 10% 25V	
C 305	QFV41HJ-333	M.CAPACITOR	.033MF 5% 50V			C 551	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 306	QFLA1HK-5622M	M.CAPACITOR	5600PF 5% 50V			C 552	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 307	QEKA1CM-106	E.CAPACITOR	1.0MF 20% 16V			C 553	NCT21CH-100AY	C CAPACITOR	10PF +50-10% 1	
C 308	QEKA1EM-106	E.CAPACITOR	1.0MF 20% 16V			C 554	NCT21CH-100AY	C CAPACITOR	10PF +50-10% 1	
C 309	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V			C 555	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 310	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V			C 556	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 311	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V			C 557	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 312	QEKA1CM-476	E.CAPACITOR	4.7MF 20% 16V			C 558	NCB21HK-103AY	E.CAPACITOR	10PF +50-10% 1	
C 321	QEKA1EM-106	E.CAPACITOR	1.0MF 20% 16V			C 559	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 323	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 571	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 325	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 572	NCB21HK-332AY	C CAPACITOR	3300PF 10% 50V	
C 326	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 573	NCB21HK-332AY	C CAPACITOR	3300PF 10% 50V	
C 327	QEKA1CM-106	E.CAPACITOR	1.0MF 20% 16V			C 574	NCS21HK-101AY	C CAPACITOR	.010MF 5% 50V	
C 328	QEKA1EM-106	E.CAPACITOR	1.0MF 20% 16V			C 575	QFV71HJ-103	FILM CAPACITOR	.010MF 5% 50V	
C 329	QEKA1EM-475	E.CAPACITOR	4.7MF 20% 25V			C 576	QFV71HJ-103	FILM CAPACITOR	.010MF 5% 50V	
C 330	NCB21HK-223AY	C CAPACITOR	.022MF 10% 50V			C 581	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 331	NCB21HK-223AY	C CAPACITOR	.022MF 10% 50V			C 582	QEKF1AM-227ZM	E.CAPACITOR	220MF 20% 10V	
C 402	QFLA1HK-8222M	M.CAPACITOR	8200PF 5% 50V			C 595	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 403	QFV41HJ-224	FILM CAPACITOR	22MF 5% 50V			C 596	NCB21HK-103AY	E.CAPACITOR	.010MF 10% 50V	
C 404	QFV41HJ-224	FILM CAPACITOR	22MF 5% 50V			C 597	QEKF0LM-476Z	E.CAPACITOR	.47MF 20% 6.3V	
C 405	QFV41HJ-333	FILM CAPACITOR	.033MF 5% 50V			C 601	QEKF0JM-227	E.CAPACITOR	220MF 20% 6.3V	
C 406	QFLA1HK-5622M	M.CAPACITOR	5600PF 5% 50V			C 602	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	
C 407	QEKA1CM-106	E.CAPACITOR	1.0MF 20% 16V			C 604	NCT21CH-220AY	C CAPACITOR	.33PF +50-10% 1	
C 408	QEKA1CM-106	E.CAPACITOR	1.0MF 20% 16V			C 607	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 423	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 608	QEKF0JM-227	E.CAPACITOR	220MF 20% 6.3V	
C 424	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 661	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V	
C 425	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 671	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 426	NCS21HK-101AY	C CAPACITOR	100PF 5% 50V			C 701	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 501	NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V			C 702	QEKA1HM-104	E.CAPACITOR	.10MF 20% 50V	
C 502	QEKF1AM-1072M	E.CAPACITOR	100MF 20% 10V			C 703	QEKA1HM-104	E.CAPACITOR	.10MF 20% 50V	
C 503	NCS21HK-471AY	C CAPACITOR	4.70PF 5% 50V			C 704	NCB21HK-223AY	C CAPACITOR	.022MF 10% 50V	
C 511	NCT21CH-331AY	C CAPACITOR	330PF +50-10%			C 705	QEKA1CM-106	E.CAPACITOR	10MF 20% 16V	
C 512	NCT21CH-180AY	C CAPACITOR	18PF +50-10%			C 708	CS21HK-101AY	C CAPACITOR	100PF 5% 50V	
C 513	NCT21CH-3R0AY	C CAPACITOR	3.0PF +50-10%			C 709	NCB21HK-822AY	C CAPACITOR	8200PF 10% 50V	
C 514	NCT21CH-680AY	C CAPACITOR	68PF +50-10%	1		C 710	NCB21HK-822AY	C CAPACITOR	8200PF 10% 50V	

REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX	BLOCK NO. 0111111	BLOCK NO. 0111111
C 711 NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	D 964 SML-010PTT87	LED		
C 712 QEK41HM-104	E. CAPACITOR	.10MF 20% 50V	D 965 SML-010PTT87	LED		
C 713 NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	D 966 SML-010PTT87	LED		
C 731 QEK41HM-225	E. CAPACITOR	2.2MF 20% 50V	D 967 SML-010PTT87	LED		
C 732 QEK41HM-102AY	E. CAPACITOR	1000PF 10% 50V	D 968 SML-010PTT87	LED		
C 733 QEK61AM-227ZM	E. CAPACITOR	220MF 20% 10V	D 969 SML-010PTT87	LED		
C 901 QE20357-228	E. CAPACITOR	220MF 20% 10V	D 970 SML-010PTT87	LED		
C 902 NCB21HK-103AY	E. CAPACITOR	.010MF 10% 50V	D 971 SML-010PTT87	LED		
C 903 QEKF1CM-107ZN	E. CAPACITOR	.010MF 10% 50V	D 972 SML-010PTT87	LED		
C 904 NCB21HK-103AY	E. CAPACITOR	.010MF 10% 50V	D 974 MTZJ1-915.1B	ZENER DIODE		
C 905 QEK41CM-106	E. CAPACITOR	10MF 20% 16V	IC151 NJM4265M	IC		
C 906 NCB21HK-104	C CAPACITOR	.10MF 10% 25V	IC301 TEA63-0T	IC		
C 921 NCB21HK-103AY	C CAPACITOR	.010MF 10% 50V	IC321 HA13117	IC		
C 922 QEKF1AM-107ZM	E. CAPACITOR	.010MF 20% 10V	IC501 TA2065F	IC		
C 923 QEK41CM-226	E. CAPACITOR	22MF 20% 16V	IC551 TC9284BF	IC		
C 924 NCB21HK-103AY	E. CAPACITOR	.010MF 10% 50V	IC581 BA5924EP-E2	IC		
C 951 NCB21HK-223AY	C CAPACITOR	.022MF 10% 50V	IC591 LB1641	IC		
C 952 NC521HJ-501AY	C CAPACITOR	.680PF 5% 50V	IC595 TA78L05F-T12L	IC		
CJ601 VMCO335-001	CONNECTOR	PIN JACK	IC901 TDA3613P-S	IC		
CJ701 QNZ0009-001	CAR ANT JACK		IC951 LC75823E	IC		
CN501 VMCO314-S14	CONNECTOR		L 501 QQL244K-4R7Z	INDCITER		
CN502 VMCO314-S14	CONNECTOR		L 551 QQL244K-4R7Z	INDCITER		
CN601 VMCO334-001	CONNECTOR		L 601 QQL244K-4R7Z	INDCITER		
CN901 QNZ0002-001	16P CONNECTOR		L 701 QQL244K-4R7Z	INDCITER		
D 321 ISS1331-91	SI DIODE		L 901 VTC284S-20A	CHOKE COIL		
D 581 DSK10C-E	DIODE		PL952 QLL0002-001	LAMP		
D 591 MTZJ1-915.1B	ZENER DIODE		PL954 QLL0002-001	LAMP		
D 610 ISS1331-91	SI DIODE		Q 321 DTC114EK-A-X	TRANSISTOR		
D 661 MTZJ1-7B	ZENER DIODE		Q 501 2SA1037AK(RS)-X	HIP TRANSISTOR		
D 662 ISS1331-91	SI DIODE		Q 661 DTA114EK-A-X	TRANSISTOR		
D 663 ISS1331-91	SI DIODE		Q 701 DTC114EK-A-X	TRANSISTOR		
D 664 ISS1331-91	SI DIODE		Q 702 2SC2412KK1	TRANSISTOR		
D 665 ISS1331-91	SI DIODE		Q 731 2SC2412KK1	TRANSISTOR		
D 671 ISS1331-91	SI DIODE		Q 732 2SC2412KK1	TRANSISTOR		
D 701 ISS1331-91	SI DIODE		Q 791 2SB1137K(Q,R)-X	TRANSISTOR		
D 702 ISS1331-91	SI DIODE		Q 792 2SA1037AK(RS)-X	HIP TRANSISTOR		
D 731 MTZJ1-9110C	ZENER DIODE		Q 793 DTC114EK-A-X	TRANSISTOR		
D 791 ISS1331-91	SI DIODE		Q 901 2SD1944A(R,S)TA	TRANSISTOR		
D 792 ISS1331-91	SI DIODE		Q 902 DTA114EK-A-X	TRANSISTOR		
D 901 ISS401TU-15	ZENER DIODE		Q 903 2SC2412KK1	TRANSISTOR		
D 921 MTZJ1-918-2C	DIODE		Q 904 DTA114EK-A-X	TRANSISTOR		
D 951 SML-010PTT87	LED		Q 905 DTC114EK-A-X	TRANSISTOR		
D 953 SML-010PTT87	LED		Q 906 DTA114EK-A-X	TRANSISTOR		
D 954 SML-010PTT87	LED		Q 907 2SA1037AK(R,G)	TRANSISTOR		
D 955 SML-010PTT87	LED		Q 922 2SD194A(R,S)TA	TRANSISTOR		
D 956 SML-010PTT87	LED		Q 923 DTA114EK-A-X	TRANSISTOR		
D 957 SML-010PTT87	LED		Q 924 DTC114EK-A-X	TRANSISTOR		
D 958 SML-010PTT87	LED		R 101 NRSA02J-272NY	MG RESISTOR		
D 959 SML-010PTT87	LED		R 102 NRSA02J-562NY	MG RESISTOR		
D 960 SML-010PTT87	LED		R 151 NRSA02J-393NY	MG RESISTOR		
D 961 SML-010PTT87	LED		R 152 NRSA02J-393NY	MG RESISTOR		
D 962 SML-010PTT87	LED		R 153 NRSA02J-333NY	MG RESISTOR		
D 963 SML-010PTT87	LED		R 154 NRSA02J-333NY	MG RESISTOR		
			R 155 NRSA02J-333NY	MG RESISTOR		

BLOCK NO. 01						BLOCK NO. 01					
REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX	PARTS NO.	REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX	
R 156	NRSA02J-333NY	MG RESISTOR	33K 5% 1/10W		R 525	NRSA02J-153NY	MG RESISTOR	15K 5% 1/10W			
R 157	NRSA02J-152NY	MG RESISTOR	1.5K 5% 1/10W		R 526	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W			
R 158	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W		R 527	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 159	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W		R 531	NRSA02J-224NY	MG RESISTOR	220K 5% 1/10W			
R 201	NRSA02J-272NY	MG RESISTOR	2.7K 5% 1/10W		R 532	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 251	NRSA02J-562NY	MG RESISTOR	5.6K 5% 1/10W		R 533	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W			
R 252	NRSA02J-393NY	MG RESISTOR	39K 5% 1/10W		R 534	NRSA02J-471NY	MG RESISTOR	470 5% 1/10W			
R 252	NRSA02J-393NY	MG RESISTOR	39K 5% 1/10W		R 535	NRSA02J-333NY	MG RESISTOR	33K 5% 1/10W			
R 254	NRSA02J-333NY	MG RESISTOR	33K 5% 1/10W		R 536	NRSA02J-332NY	MG RESISTOR	3.3K 5% 1/10W			
R 255	NRSA02J-333NY	MG RESISTOR	33K 5% 1/10W		R 537	NRSA02J-103NY	MG RESISTOR	3.3K 5% 1/10W			
R 256	NRSA02J-333NY	MG RESISTOR	33K 5% 1/10W		R 538	NRSA02J-393NY	MG RESISTOR	39K 5% 1/10W			
R 258	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W		R 539	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 259	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W		R 540	NRSA02J-225NY	MG RESISTOR	2.2K 5% 1/10W			
R 301	NRSA02J-183NY	MG RESISTOR	18K 5% 1/10W		R 551	NRSA02J-100NY	MG RESISTOR	10 5% 1/10W			
R 302	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		R 552	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 303	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 553	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 304	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 554	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 307	NRSA02J-683NY	MG RESISTOR	68K 5% 1/10W		R 555	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 308	NRSA02J-683NY	MG RESISTOR	68K 5% 1/10W		R 556	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 309	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 557	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 310	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 561	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W			
R 321	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 562	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W			
R 322	NRSA02J-122NY	MG RESISTOR	1.2K 5% 1/10W		R 563	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W			
R 323	NRSA02J-273NY	MG RESISTOR	27K 5% 1/10W		R 564	NRSA02J-332NY	MG RESISTOR	3.3K 5% 1/10W			
R 401	NRSA02J-183NY	MG RESISTOR	18K 5% 1/10W		R 571	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W			
R 402	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		R 572	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 403	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 573	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W			
R 404	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 574	NRSA02J-154NY	MG RESISTOR	150K 5% 1/10W			
R 407	NRSA02J-683NY	MG RESISTOR	68K 5% 1/10W		R 575	NRSA02J-225NY	MG RESISTOR	2.2M 5% 1/10W			
R 408	NRSA02J-683NY	MG RESISTOR	68K 5% 1/10W		R 576	NRSA02J-333NY	MG RESISTOR	3.3K 5% 1/10W			
R 409	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 581	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 410	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 582	NRSA02J-102NY	MG RESISTOR	10K 5% 1/10W			
R 501	NRSA02J-124NY	MG RESISTOR	120K 5% 1/10W		R 583	NRSA02J-682NY	MG RESISTOR	6.8K 5% 1/10W			
R 502	NRSA02J-124NY	MG RESISTOR	120K 5% 1/10W		R 584	NRSA02J-391NY	MG RESISTOR	3.3K 5% 1/10W			
R 503	NRSA02J-823NY	MG RESISTOR	82K 5% 1/10W		R 585	NRSA02J-473NY	MG RESISTOR	10K 5% 1/10W			
R 504	NRSA02J-823NY	MG RESISTOR	82K 5% 1/10W		R 603	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 505	NRSA02J-823NY	MG RESISTOR	82K 5% 1/10W		R 604	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 506	NRSA02J-823NY	MG RESISTOR	82K 5% 1/10W		R 605	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 508	NRSA02J-184NY	MG RESISTOR	180K 5% 1/10W		R 606	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 509	NRSA02J-470NY	MG RESISTOR	47 5% 1/10W		R 607	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W			
R 510	NRSA02J-470NY	MG RESISTOR	47 5% 1/10W		R 608	NRSA02J-331NY	MG RESISTOR	4.7K 5% 1/10W			
R 511	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W		R 609	NRSA02J-331NY	MG RESISTOR	330 5% 1/10W			
R 512	NRSA02J-102NY	MG RESISTOR	100K 5% 1/10W		R 610	NRSA02J-331NY	MG RESISTOR	330 5% 1/10W			
R 514	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		R 611	NRSA02J-331NY	MG RESISTOR	330 5% 1/10W			
R 515	NRSA02J-272NY	MG RESISTOR	2.7K 5% 1/10W		R 612	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 516	NRSA02J-272NY	MG RESISTOR	2.7K 5% 1/10W		R 613	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W			
R 517	NRSA02J-393NY	MG RESISTOR	39K 5% 1/10W		R 614	NRSA02J-472NY	MG RESISTOR	22K 5% 1/10W			
R 518	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W		R 615	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W			
R 522	NRSA02J-821NY	MG RESISTOR	820 5% 1/10W		R 616	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W			
R 523	NRSA02J-123NY	MG RESISTOR	27K 5% 1/10W		R 617	NRSA02J-223NY	MG RESISTOR	22K 5% 1/10W			
R 524	NRSA02J-475NY	MG RESISTOR	12K 5% 1/10W		R 618	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 524	NRSA02J-475NY	MG RESISTOR	4.7M 5% 1/10W		R 625	NRSA02J-473NY	MG RESISTOR	4.7K 5% 1/10W			
R 626	NRSA02J-332NY	MG RESISTOR	3.3K 5% 1/10W		R 626	NRSA02J-332NY	MG RESISTOR	3.3K 5% 1/10W			

BLOCK NO. 011111

BLOCK NO. 011111

△ REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX	△ REF.	PARTS NO.	PARTS NAME	REMARKS	SUFFIX
R 627	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 967	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W	
R 628	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		R 975	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 629	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 976	NRSA02J-511NY	MG RESISTOR	510 5% 1/10W	
R 630	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		R 977	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 643	NRSA02J-101NY	MG RESISTOR	100 5% 1/10W		R 978	NRSA02J-911NY	MG RESISTOR	910 5% 1/10W	
R 644	NRSA02J-101NY	MG RESISTOR	100 5% 1/10W		R 979	NRSA02J-122NY	MG RESISTOR	1.2K 5% 1/10W	
R 645	NRSA02J-101NY	MG RESISTOR	100 5% 1/10W		R 980	NRSA02J-152NY	MG RESISTOR	1.5K 5% 1/10W	
R 661	GRD141J-472	CARBON RESISTOR	4.7K 5% 1/4W		R 981	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 672	NRSA02J-224NY	MG RESISTOR	220K 5% 1/10W		R 982	NRSA02J-511NY	MG RESISTOR	510 5% 1/10W	
R 702	NRSA02J-102NY	MG RESISTOR	100 5% 1/10W		R 983	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 703	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W		R 984	NRSA02J-122NY	MG RESISTOR	1.2K 5% 1/10W	
R 705	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		R 985	NRSA02J-911NY	MG RESISTOR	910 5% 1/10W	
R 706	NRSA02J-105NY	MG RESISTOR	1.0M 5% 1/10W		R 986	NRSA02J-152NY	MG RESISTOR	1.5K 5% 1/10W	
R 708	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W		R 987	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 709	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W		R 988	NRSA02J-511NY	MG RESISTOR	510 5% 1/10W	
R 710	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W		R 989	NRSA02J-681NY	MG RESISTOR	680 5% 1/10W	
R 731	NRSA02J-152NY	MG RESISTOR	1.5K 5% 1/10W		R 990	NRSA02J-911NY	MG RESISTOR	910 5% 1/10W	
R 732	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W		R 991	NRSA02J-122NY	MG RESISTOR	1.2K 5% 1/10W	
R 733	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		R 992	NRSA02J-152NY	MG RESISTOR	1.5K 5% 1/10W	
R 734	NRSA02J-472NY	MG RESISTOR	4.7K 5% 1/10W		R 993	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W	
R 791	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		S 951	NSW0039-001X	TACT SWITCH	"6"	
R 792	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W		S 952	NSW0039-001X	TACT SWITCH	"5"	
R 793	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		S 953	NSW0039-001X	TACT SWITCH	"AM"	
R 794	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		S 954	NSW0039-001X	TACT SWITCH	"FM"	
R 795	NRSA02J-150NY	MG RESISTOR	15 5% 1/10W		S 955	NSW0039-001X	TACT SWITCH	"CD"	
R 796	NRSA02J-150NY	MG RESISTOR	15 5% 1/10W		S 956	NSW0039-001X	TACT SWITCH	"LOUD"	
R 901	GRD141J-471NY	CARBON RESISTOR	4.7K 5% 1/4W		S 957	NSW0039-001X	TACT SWITCH	"SOUND"	
R 903	NRSA02J-122NY	MG RESISTOR	1.2K 5% 1/10W		S 958	NSW0039-001X	TACT SWITCH	"DISPLAY"	
R 904	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		S 959	NSW0039-001X	TACT SWITCH	"SELECT"	
R 905	NRSA02J-104NY	MG RESISTOR	100K 5% 1/10W		S 960	NSW0039-001X	TACT SWITCH	"1"	
R 906	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		S 961	NSW0039-001X	TACT SWITCH	"2"	
R 907	NRSA02J-562NY	MG RESISTOR	5.6K 5% 1/10W		S 962	NSW0039-001X	TACT SWITCH	"3"	
R 909	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		S 963	NSW0039-001X	TACT SWITCH	"4"	
R 911	NRSA02J-473NY	MG RESISTOR	47K 5% 1/10W		S 964	NSW0039-001X	TACT SWITCH	"JECT"	
R 912	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		S 965	NSW0039-001X	TACT SWITCH	"RANDOM"	
R 921	QRX01DJ-R47X	M.F. RESISTOR	5% 1/1W		S 966	NSW0039-001X	TACT SWITCH	"F.SKIP/UP"	
R 923	NRSA02J-100NY	MG RESISTOR	10 5% 1/10W		S 967	NSW0039-001X	TACT SWITCH	"POWER"	
R 924	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		S 968	NSW0039-001X	TACT SWITCH	"VOL UP"	
R 951	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		S 969	NSW0039-001X	TACT SWITCH	"VOL DOWN"	
R 952	NRSA02J-103NY	MG RESISTOR	1.0M 5% 1/10W		S 970	NSW0039-001X	TACT SWITCH	"RPT/MO"	
R 954	NRSA02J-100NY	MG RESISTOR	10K 5% 1/10W		S 971	NSW0039-001X	TACT SWITCH	"SCAN"	
R 955	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		S 972	NSW0039-001X	TACT SWITCH	"B.SKIP/DOWN"	
R 958	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		TU701	QAU0004-001	TUNER		
R 959	NRSA02J-103NY	MG RESISTOR	10K 5% 1/10W		VR301	QV25223-1544Z	V.RESISTOR		
R 960	NRSA02J-222NY	MG RESISTOR	2.2K 5% 1/10W		X 551	VCX5016-934V	CRYSTAL		
R 961	NRSA02J-821NY	MG RESISTOR	820 5% 1/10W		X 601	VCX5026-001Z	CRYSTAL		
R 962	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W						
R 963	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W						
R 964	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W						
R 965	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W						
R 966	NRSA02J-102NY	MG RESISTOR	1.0K 5% 1/10W						

10. Packing





Fig.10-1

● SCREW KIT 1

A7 Plug Nut VKZ4027-002	A10 Washer WNS5000Z
A8 Mount Bolt VKH4871-001	A11 Hook FSKL4010-002
A9 Lock Nut VKH4328-001	A12 Tie Band E308918-001

● SCREW KIT 2



■ Packing Parts List

BLOCK NO. M3MM | | | |

▲	REF.	PARTS NO.	PARTS NAME	REMARKS	QTY	SUFFIX	CLR
	P 1	FSPE3001-033	CARTON		1		
	P 2	FSPH1010-001	PAPER CUSHION	RIGHT SIDE	1		
	P 3	FSPH1009-001	PAPER CUSHION	LEFT SIDE	1		
	P 4	VPE3005-066	POLY BAG	SET(260X440X0.0	1		
	P 5	QPGA017-02505	POLY BAG	INST.BOOK	1		
	P 6	QPGA008-01205	POLY BAG	FOR KIT1	1		
	P 7	-----	CAUTION LABEL	FOR INNER CARTO	1		

■ Accessories

BLOCK NO. M4MM | | | |

▲	REF.	PARTS NO.	PARTS NAME	REMARKS	QTY	SUFFIX	CLR
	A 1	FSUN3021-631S	INSTRUCTIONS		1		
	A 2	VNC2400-090	CAUTION SHEET		1		
		VNC2400-098	CAUTION SHEET		1		
	A 3	BT-51009-2S	WARRANTY CARD		1	J	
		BT-52001-3S	WARRANTY CARD		1	C	
	A 4	BT-20071B	SVC CENTER LIST		1		
		BT-20137	SERVICE NETWORK		1		
	A 7	VKZ4027-002	PLUG NUT		1		
	A 8	VKH4871-001	MOUNT BOLT		1		
	A 9	VKZ4328-001	LOCK NUT	FOR M5	1		
	A 10	WNS5000Z	WASHER		1		
	A 11	FSKL4010-002	HOOK		2		
	A 12	E308918-001	TIE BAND		1		
	A 14	SPSF1780M	MINI SCREW		1		
	A 15	FSYA4001-001	SHEET		1		
	A 17	FSKM2004-001	MOUNTING SLEEVE		1		
	A 18	QAM0013-001	16P CORD ASS'Y		1		
	A 19	FSJD2019-001	TRIM PLATE		1		
KIT 1		KSRT620K-SCREW1	SCREW PARTS KIT	A7-A12	1		
KIT 2		KSRT320K-SCREW2	SCREW PARTS LIT	A14,A15	1		



VICTOR COMPANY OF JAPAN, LIMITED

AUDIO PRODUCTS DIVISION 10-1, 1-chome, Ohwatari-machi, Maebashi-city, Japan