





















LIST OF DIODES AND TRANSISTORS


TYPE	SHORT DESCRIPTION DATA	EQUIVALENTS
DFD05TG	Si; Uni; 600V; 1A	
DFW10TG		
DS442X	Si; SW; 100V; 0,2A	
EU1Z	Si; Uni; 600V; 1A;	
EU01A	Si; Uni; 600V; 1A	
GZA 5.1X	GZA 2,0 ... 51 Zener diode 2... 51V; 0,5W	
GZA 5.6Y		
GZA 6.8Y		
GZA 7.5Y		
GZA 9.1Y		
GZA 11Y		
GZA 20Y		

GMA01	Si; Uni; 100V; 0,2A;
RM11C	Si; Uni; 1000V; 2,5A;
RU2	Si; Gen. purp. rect; fast rec
RU1P	
RU4R	
RU4Z	Si; 600V; 3A;
S5566B	Si; Uni; 600V; 1A;

2SA733
2SC945
2SC2001
2SC3000
2SD863



2SC4217




600V;1A;200ns;

TRANSISTORS		
2SA733	Si;PNP;Uni;50V;0,1A;0,25W;180MHz	BC556
2SC945	Si;NPN;Uni;60V;0,1A;0,25W;250MHz	BC546
2SC2001	Si;NPN;Uni;30V;0,7A;0,6W;170MHz	BC639
2SC3000	Si;NPN;VHF;750MHz	BF198;BF959
2SC4217	Si;NPN;HF/Vid-L 300/300V;0,2A;80MHz	(BF759)
2SD863	Si;NPN;NF-Tr/E;60V;1A;0,9W;150MHz	BC639
2SD1878	Si;NPN+Di;TV-HA;1500V;800V;5A;60W	S2055AF;BU508D (PHILIPS)


Abbreviations:

Si-silicon, Uni-general purpose
HF-high frequency; Vid-video output stage;
L-power stage; NF-AF application; E-output;
HA-TV horizontal deflection; Di-damper diode

2SD1878



DTA144TS
DTC114ES
DTC144TS
DTR144T



TO 3/6

- ABL
- HEATER
- AFC
- H. OUT
- V. NF
- V. DRIVE

△ POWER SW
SW 501
ESB - 76937A

PCB 008 TE0390

