







*:The components identified by the mark of * in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value.

⚠:The components identified by the mark of ⚠ in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used.




NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
2. All resistors are 5%, 1/8 watt except where otherwise indicated
3.  Represents PCB common ground.



 : The components identified by the mark of  in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used. T601.

 : The components identified by the mark of  in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value. T601, R616, R617, UR601.

 Acer Communications & Multimedia				
ACERVIEW U772 (SPS.CKT) SCHEMATICS				
SIZE A4	91101A01.SCH	FAB A01	Doc.No. 304-C03	REV. 2
DATE : 9/14/2001		Sheet 3	OF 5	
Project Code.		99.91171.001		
Prepared By VICKI CHANG 9/14/2001		Reviewed By RICHARD WU 9/14/2001		Approved By DAVEN WU 9/14/2001



NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8 watt, 5% except where otherwise indicated
 3. ∇ ∇ ∇ Represents PCB common ground.

acer Acer Communications & Multimedia


ACERVIEW U772 (MICRO.CKT)		SCHEMATIC		
SIZE A4	91101A01.SCH	FAB A01	Doc.No. 304-C03	REV. 2
DATE : 9/14/2001		Sheet 4	OF 5	
Project Code. 99.91171.001				
Prepared By VICKI CHANG		Reviewed By RICHARD WU		Approved By DAVEN WU
9/14/2001		9/14/2001		9/14/2001

⚠:The components identified by the mark of ⚠ in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value.

⚠:The components identified by the mark of ⚠ in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used.

NOTES:

- 1.Resistor Values are in ohm, k=1,000ohm,M=1,000,000ohm
- 2.All resistors are 1/8W,5% except where otherwise indicated
3. ∇ ∇ $\pm$ Represents PCB common ground.



acer Acer Communications & Multimedia

ACERVIEW U772 Video&OSD SCHEMATIC				
SIZE A4	91101A01.SCH	FAB A01	Doc.No. 304-C03	REV. 2
DATE : 9/14/2001		Sheet 5 OF 5		
Project Code. 99.91171.001				
Prepared By		Reviewed By		Approved By
VICKI CHANG 9/14/2001		RICHARD WU 9/14/2001		DAVEN WU 9/14/2001