

SCHEMATIC DIAGRAM

CONTENTS

1. RGB Processor
2. A/D Converters
3. Clocks
4. Memory
5. Video Process
6. Input Switching (T601~T648)
7. LVDS
8. DC/DC Converter
9. Micom (T901~T945)
10. Connectors & Jacks
11. Key Control
12. USB

```
# 1 98. 11. 25.
R G B PROCESSOR(1523) HP
TP101 ~ TP168
```

R G B PROCESSOR(1523) HP

TP101 ~ TP168



```
— SDA2 (3, 5, 9)
— SCL2 (3, 5, 9)
```


HP

A/D CONVERTORS (1523)

HP



#3 98.12.30.
CLOCKS (1523)
T301 ~ T325
HP



4. MEMORY

MEMORY


(1523)

T401 ~ T466

HP


#4

&lt5:



98. 12. 30.
VIDEO PROCESS(1523)
HP






98. 12. 30
LVDS (1523)^{T751} ~ T779 HP




#8 DC/DC CONVERTER (HP)

98.12.30.


T801 ~ T832




#9 98.12.30
MICOM(1523)
T901 ~ T945 HP



#10 T1 ~ T47 99.1.23. CONNECTOR & JACKS (HP)



99.01.09 KEY CONTROL (HP)



USB 99.1.25.

