

A-700T

SERVICE MANUAL

N. Hemisphere Model

Chassis No.SCC-L10E-A



X2F CHASSIS


SPECIFICATIONS

Picture Tube	0.25 mm aperture grill pitch 17 inches measured diagonally 90-degree deflection	Standard image area	Approx. 312 x 234 mm (w/h) (12 ^{3/8} x 9 ^{1/4} inches)
Video image area	(15.9" maximum viewing image) Approx. 327 x 241 mm (w/h) (12 ^{7/8} x 9 ^{1/2} inches)	Deflection frequency	Horizontal: 30 to 70 KHz Vertical: 50 to 120 Hz
Logical resolution	Horizontal: Max. 1280 dots Vertical: Max. 1024 lines	AC input voltage / current	100 to 120 V, 50-60 Hz, 1.8 A (max.) 220 to 240 V, 50-60 Hz, 1.0 A
Physical resolution	Horizontal: Max. 1024 dots Vertical: Max. 768 lines	Dimensions	406 x 426.5 x 451 mm (w/h/d) (16 x 16 ^{7/8} x 17 ^{7/8} inches)
		Mass	Approx. 18.5 kg (40lbs 13oz)

Design and specifications are subject to change without notice.



COLOR COMPUTER DISPLAY
J16media



13

